
BTX Nut

JIC 37° Flare end nut
SAE 070110 MS51531




Tube O.D. mm	Tube O.D. in.	Thread UN/UNF-2B T6	C in.	D mm	L mm	Weight (steel) g/1 piece	Steel	Stainless Steel	Brass
	1/8	5/16-24	3/8	4.5	14	6	**2 BTX-S**	**2 BTX-SS**	**2 BTX-B**
	3/16	3/8-24	7/16	6	15.5	8	**3 BTX-S**	**3 BTX-SS**	**3 BTX-B**
6	1/4	7/16-20	9/16	8	16	11	**4 BTX-S**	**4 BTX-SS**	**4 BTX-B**
8	5/16	1/2-20	5/8	9.5	17	14	**5 BTX-S**	**5 BTX-SS**	**5 BTX-B**
10	3/8	9/16-18	11/16	11	18.5	18	**6 BTX-S**	**6 BTX-SS**	**6 BTX-B**
12	1/2	3/4-16	7/8	14.5	21.5	29	**8 BTX-S**	**8 BTX-SS**	**8 BTX-B**
14, 15, 16	5/8	7/8-14	1	18	25	54	**10 BTX-S**	**10 BTX-SS**	**10 BTX-B**
18	3/4	1 1/16-12	1 1/4	21	26	73	**12 BTX-S***	**12 BTX-SS***	**12 BTX-B***
22	7/8	1 3/16-12	1 3/8	24	27.5	100	**14 BTX-S**	**14 BTX-SS**	**14 BTX-B**
25	1	1 5/16-12	1 1/2	27.5	28.5	104	**16 BTX-S**	**16 BTX-SS**	**16 BTX-B**
28, 30, 32	1 1/4	1 5/8-12	2	34	31	240	**20 BTX-S**	**20 BTX-SS**	**20 BTX-B**
35, 38	1 1/2	1 7/8-12	2 1/4	41	36	325	**24 BTX-S**	**24 BTX-SS**	**24 BTX-B**
	2	2 1/2-12	2 7/8	55	44.5	549	**32 BTX-S**	**32 BTX-SS**	

Order codes shown are part of our current manufacturing programme.
Do not create drawings from these dimensions, they are subject to change and ISO manufacturing allowances.

***Size 12 BTX-S cannot be used with the metric tube sleeve TXS20 or 20 mm tubes.**
This applies to steel, stainless steel and brass.

BMTX Nut

JIC 37° Flare end nut
SAE 070110




Tube O.D. mm	Tube O.D. in.	Thread UN/UNF-2B T6	C mm	D mm	L mm	Weight (steel) g/1 piece	Steel	Stainless Steel
6	1/4	7/16-20	14	8	15.5	11	**4BMTXS**	**4BMTXSS**
8	5/16	1/2-20	17	10	17	14	**5BMTXS**	**5BMTXSS**
10	3/8	9/16-18	19	11	18	18	**6BMTXS**	**6BMTXSS**
12	1/2	3/4-16	22	14.5	21	29	**8BMTXS**	**8BMTXSS**
14, 15, 16	5/8	7/8-14	27	18	24.5	42	**10BMTXS**	**10BMTXSS**
18, 20	3/4	1 1/16-12	32	22	26	73	**12BMTXS**	**12BMTXSS**
25	1	1 5/16-12	41	28	28	104	**16BMTXS**	**16BMTXSS**
28, 30, 32	1 1/4	1 5/8-12	50	34	33	240	**20BMTXS**	**20BMTXSS**
35, 38	1 1/2	1 7/8-12	60	41	38	325	**24BMTXS**	**24BMTXSS**
42		2 1/4-12	65	48	40	437	**28BMTXS**	**28BMTXSS**

Order codes shown are part of our current manufacturing programme.
Do not create drawings from these dimensions, they are subject to change and ISO manufacturing allowances.

TX Sleeve

JIC 37° Flare tube end sleeve for metric tubes
SAE 070105




Tube O.D. mm	L mm	X mm	Weight (steel) g/1 piece	Steel	Stainless Steel	Brass
6	10	9.5	2	**TXS6**	**TXSS6**	**TXB6**
8	11	11	2	**TXS8**	**TXSS8**	**TXB8**
10	12.5	12.5	2	**TXS10**	**TXSS10**	**TXB10**
12	14	17	7	**TXS12**	**TXSS12**	**TXB12**
14	17	20	13	**TXS14**	**TXSS14**	**TXB14**
15	17	20	10	**TXS15**	**TXSS15**	**TXB15**
16	17	20	7	**TXS16**	**TXSS16**	**TXB16**
18	17.5	24.5	16	**TXS18**	**TXSS18**	**TXB18**
20	17.5	24.5	12	**TXS20**	**TXSS20**	**TXB20**
22	19	28	25	**TXS22**	**TXSS22**	**TXB22**
25	20	31	21	**TXS25**	**TXSS25**	**TXB25**
28	23	39	40	**TXS28**	**TXSS28**	**TXB28**
30	23	39	45	**TXS30**	**TXSS30**	**TXB30**
32	23	39	30	**TXS32**	**TXSS32**	**TXB32**
35	28.5	45	60	**TXS35**	**TXSS35**	**TXB35**
38	28.5	45	51	**TXS38**	**TXSS38**	**TXB38**
42	29	55	149	**TXS42**	**TXSS42**	**TXB42**

Order codes shown are part of our current manufacturing programme.
Do not create drawings from these dimensions, they are subject to change and ISO manufacturing allowances.

TX Sleeve

JIC 37° Flare tube sleeve
SAE 070105 MS51533



Tube O.D. in.	L mm	X mm	Weight (steel) g/1 piece	Steel	Stainless Steel	Brass
1/8	8.5	7	2	**2 TX-S**	**2 TX-SS**	**2 TX-B**
3/16	8.5	8	2	**3 TX-S**	**3 TX-SS**	**3 TX-B**
1/4	10.5	10	2	**4 TX-S**	**4 TX-SS**	**4 TX-B**
5/16	11	11.5	2	**5 TX-S**	**5 TX-SS**	**5 TX-B**
3/8	12.5	13	3	**6 TX-S**	**6 TX-SS**	**6 TX-B**
1/2	14	17	6	**8 TX-S**	**8 TX-SS**	**8 TX-B**
5/8	17	20	8	**10 TX-S**	**10 TX-SS**	**10 TX-B**
3/4	17	24.5	13	**12 TX-S**	**12 TX-SS**	**12 TX-B**
7/8	19	28	18	**14 TX-S**	**14 TX-SS**	**14 TX-B**
1	20	31	23	**16 TX-S**	**16 TX-SS**	**16 TX-B**
1 1/4	23	39	30	**20 TX-S**	**20 TX-SS**	**20 TX-B**
1 1/2	28	45	51	**24 TX-S**	**24 TX-SS**	**24 TX-B**
2	30	61	156	**32 TX-S**	**32 TX-SS**	**32 TX-B**

Order codes shown are part of our current manufacturing programme.
Do not create drawings from these dimensions, they are subject to change and ISO manufacturing allowances.